


DOCKET NO.: P-10220.01

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
RESPONSE TO FINAL REJECTION TRANSMITTALRECEIVED
CENTRAL FAX CENTER
NOV 18 2004

In re Application of: Quijano et al
For: BIFURCATED BIOLOGICAL PULMONARY VALVED CONDUIT
Serial No.: 09/605,118
Filed: 06-28-2000

CERTIFICATE of Facsimile Transmission I hereby certify that this Response to Final Rejection (12 pages) is being facsimile transmitted to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, fax number 703-872-9306 on this 18th day of November, 2004.


Signature
Jeffrey J. Hohenshell
Printed Name

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:


- ☒ Response and Amendment Transmittal
☒ Response to Final Rejection

FEE CALCULATION:

FEE CALCULATION	No. of Claims Filed After Amendment	No of Claims Previously paid for	No. of Extra Claims	Rate	Fee
Total Claims				x 18	0
Independent Claims				x 84	0
Multiple Dependent Claims				+ 280	
TOTAL					0

- ☐ Applicant hereby petitions for one (1) months' extension of time. If an additional extension of time is required, please consider this petition therefor.
- ☐ Please charge Deposit Account No. 13-2546 any fees for extension of time
- ☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been in order to respond to the final rejection.
- ☒ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

November 18, 2004
Date


Jeffrey J. Hohenshell, Reg. No. 34,109
Telephone: (763) 391-9661
Customer No.: 27581

RECEIVED
CENTRAL FAX CENTER
NOV 18 2004

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Quijano et al

Examiner: Pellegrino, Brian E.

Serial No.: 09/605,118

Group Art Unit: 3738

Filing Date: 06-28-2000

Docket No.: P-10220.01

Title: BIFURCATED BIOLOGICAL PULMONARY VALVED CONDUIT

RESPONSE TO FINAL REJECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

The Final Rejection dated August 18, 2004 has been carefully reviewed. In response, the applicants respectfully request entry and consideration of the amendment presented herein, which is believed to place the application in condition for allowance.

AMENDMENT

Amendments to the claims are reflected in the listing that replaces all prior claim listings for this application starting on page 2 of this paper.

Remarks begin on page 11 of this paper.